

Breaking Ground

Carpets Inter[®]



Breaking Ground

“The Breaking Ground Collection features two styles that offer high performance, functional aesthetics and great value. Mesa, inspired by sedimentary rock strata, is an organic texture suitable for most commercial interiors. Flatlands, named for the vast plains that cover much of the Earth, is an overall texture that is ideal for a monolithic look on the floor. Mesa and Flatlands can be used independently or as coordinates to landscape any floor.”

*Designed and engineered for performance by
the CI Design and Product Development team.*

As demonstrated here, Mesa and Flatlands colors coordinate to facilitate wayfinding and creative floor installations.

Mesa


Tile Size 25 x 100 cm.



Random Vertical Brick

Flatlands

Tile Size 50 x 50 cm.




Checkerboard



Flatlands
Taza FL 08

Mesa
Taza MS 08




Mesa

Tile Size 50 x 50 cm., 25 x 100 cm.



Flatlands

Tile Size 50 x 50 cm., 25 x 100 cm.



Mesa

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSquare®, Reinforced Recycled Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	Stain Protection and Dry Soil Repellency
TUFTING GAUGE	1/12 inch	TILE SIZE	50 x 50 cm., 25 x 100 cm.
PILE HEIGHT	2.5 - 5.0 mm.	BACKING OPTIONS AND WIDTH	Available, contact our sales representative for information
TOTAL CARPET WEIGHT	4,010 gm/sq.m.		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.

Flatlands

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSquare®, Reinforced Recycled Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	Stain Protection and Dry Soil Repellency
TUFTING GAUGE	1/10 inch	TILE SIZE	50 x 50 cm., 25 x 100 cm.
PILE HEIGHT	3.0 - 4.0 mm.	BACKING OPTIONS AND WIDTH	Available, contact our sales representative for information
TOTAL CARPET WEIGHT	3,995 gm/sq.m.		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.

